


SLF

A B R A S I V I

MADE IN ITALY



SERIE 10

ALU DISC



Disco lamellare prodotto su speciale supporto in alluminio ad assetto conico. Le lamelle sono disposte radialmente in modo singolo, ciò consente un taglio regolare senza vibrazioni. Indicato per applicazioni di smerigliatura a media e alta pressione, viene generalmente montato su smerigliatrici angolari di buona potenza. Grazie alla qualità del materiale abrasivo impiegato si ottengono buoni risultati di asportazione; per uso professionale nell'industria e nell'artigianato.

APPLICAZIONI:

- ALLO ZIRCONIO: per uso su acciaio inossidabile, acciai legati, ghisa, titanio.
- AL CORINDONE: per uso su ferro, plastica, vernici, lacca, materiali non ferrosi.



Flap disc manufactured on a special aluminium pad in conical shape. Flaps are radially placed in a single layer for a regular and vibration-free cut. Suitable for medium and high pressure grinding application, generally used on medium-high power angular machines; thanks to the quality of grinding cloth the flaps gives good removal results on the handcraft and professional use.

APPLICATIONS:

- ZIRCONIUM: suitable for inox, steel, cast iron and titanium.
- ALUMINIUM OXIDE: suitable for iron, plastic, paints, resins and non-ferrous materials.



FORMA CONICA - CONICAL SHAPE

115 LASER DISC - SERIE 10 - ALU DISC - ZIRCONIO

CODE	SIZE	RPM	GRAIN	BOX
10FD115AL40ZC	115X22	13300	40	20 pcs
10FD115AL60ZC	115X22	13300	60	20 pcs
10FD115AL80ZC	115X22	13300	80	20 pcs
10FD115AL120ZC	115X22	13300	120	20 pcs

115 LASER DISC - SERIE 10 - ALU DISC - ALOX

CODE	SIZE	RPM	GRAIN	BOX
10FD115AL40AC	115X22	13300	40	20 pcs
10FD115AL60AC	115X22	13300	50	20 pcs
10FD115AL80AC	115X22	13300	80	20 pcs
10FD115AL120AC	115X22	13300	120	20 pcs

SERIE 11

SLIM DISC

NYLON PAD



Disco bi-lamellare prodotto su speciale supporto in NYLON di alto spessore. Le lamelle, di dimensioni ridotte rispetto ai normali dischi lamellari, sono di numero elevato e concentrate nella periferia del supporto di nylon. Si ottiene così una forte concentrazione del materiale abrasivo che ha la prerogativa di consumarsi totalmente durante l'operazione di smerigliatura. Indicato per applicazioni di smerigliatura a medio/alta pressione, generalmente montato su smerigliatrici angolari di buona potenza. Progettato per uso professionale e artigianale.

APPLICAZIONI:

- ALLO ZIRCONIO: per uso su acciaio inossidabile, acciai legati, ghisa, titanio.
- AL CORINDONE: per uso su ferro, plastica, vernici, lacca, materiali non ferrosi.



Double-layer disc manufactured with high thickness and reinforced nylon pad. Flaps are smaller than normal flap discs: 18x20mm instead 18x25 but there is higher number of flaps. The result is an high concentration of abrasive material that has the prerogative of total consumption during grinding. Suitable for medium/high pressure grinding on medium-power angular machines. Good removal results during the use, generally for the handcraft and professional use.

APPLICATIONS:

- ZIRCONIUM: suitable for inox, steel, cast iron and titanium.
- ALUMINIUM OXIDE: suitable for iron, plastic, paints, resins and non-ferrous materials.



FORMA PIANA - FLAT SHAPE

115 LASER DISC - SERIE 11 - SLIM DISC - ZIRCONIO

CODE	SIZE	RPM	GRAIN	BOX
11FD115N40ZF	115X22	13300	40	20 pcs
11FD115N60ZF	115X22	13300	60	20 pcs
11FD115N80ZF	115X22	13300	80	20 pcs
11FD115N120ZF	115X22	13300	120	20 pcs

115 LASER DISC - SERIE 11 - SLIM DISC - ALOX

CODE	SIZE	RPM	GRAIN	BOX
11FD115N40AF	115X22	13300	40	20 pcs
11FD115N60AF	115X22	13300	60	20 pcs
11FD115N80AF	115X22	13300	80	20 pcs
11FD115N120AF	115X22	13300	120	20 pcs



S.L.F. ABRASIVI S.R.L.
VIA DE NICOLA, 4/A
20037 PADERNO DUGNANO (MI) ITALY

www.slfabrasivi.com
infoslf@slfabrasivi.com
TEL: +39029182100
FAX: +39029181313

