


SLF

A B R A S I V I

MADE IN ITALY



ST100



SMERIGLIATRICE ROTOFLAP

*da utilizzare con le ruote lamellari
SERIE 04 e SERIE 05 FW-100/110

Le applicazioni della Smerigliatrice ST100 sono molto varie in quanto dipendono dal tipo di utensile abrasivo utilizzato e vanno dalla satinatura, la sbavatura leggera, levigatura, pulitura e lucidatura di piccole ed ampie superfici, alla rimozione di ossidazioni, grassi, vernici. E' costituita da un motore elettronico a velocità regolabile, un carter di protezione orientabile, una seconda maniglia per l'utilizzo su pareti verticali. La ruota abrasiva può essere rimossa facilmente grazie ad un bottone sul corpo macchina.

Applicazioni: Acciai inossidabili, acciai normali o speciali, metalli non ferrosi e loro leghe, alluminio, ghisa, titanio, plastica, vernice, lacca, stucco, pietra o legno.

Dati tecnici: (se si riesce a metterli in una "tabella")

- Potenza: 1400W
- Velocità: regolabile min 1200 rpm - max 3900 rpm
- Dimensioni: max flap 110x100 mm.
- Peso netto: 3100 gr.
- Dimensioni ingombro: 32x20x12

E' disponibile anche il Kit completo:

- N°1 SMERIGLIATRICE ROTOFLAP "ST100"
- N°1 Ruota 100x100x19,1 - Tela corindone Gr.60
- N°1 Ruota 100x100x19,1 - Tela allo zirconio Gr.80
- N°1 Ruota 100x100x19,1 - Tela S/B Coarse
- N°1 Ruota 100x100x19,1 - Tela S/B Medium
- N°1 Ruota 100x100x19,1 - Tela S/B Fine



GRINDING MACHINE ROLOFLAP

*To be used with
Series 04 FW-100 flap wheels (pag 60)

The Grinder Machine Rotoflap ST100 can be used in a large number of applications depending on the type of abrasive tool used. These include satin finishing, light deburring and cleaning small and large surfaces, removing scale, grease and paints. The package includes: an additional flaps protection swivel, a second handle for the vertical use.

Work surfaces: Stainless steel, standard or alloyed steel, nonferrous metals and alloys, aluminium, cast iron, titanium, plastic, paint, varnish, filler, stone or wood.

Technical data:

- Power: 1400W
- Speed: (electronic regulation) r.p.m min 1200 - max 3900
- Max tool diameter: mm 110x100
- Weight: gr. 3100
- Size: cm. 32x20x12

It's also available a Complete Kit:

- N°1 Grinding Machines ROTOFLAP "ST100"
- N°1 Wheels 100x100x19,1 - Aluminium Oxide cloth Gr.60
- N°1 Wheels 100x100x19,1 - Zirconium cloth Gr.80
- N°1 Wheels 100x100x19,1 - S/B Coarse cloth
- N°1 Wheels 100x100x19,1 - S/B Medium cloth
- N°1 Wheels 100x100x19,1 - S/B Fine cloth





S.L.F. ABRASIVI S.R.L.
VIA DE NICOLA, 4/A
20037 PADERNO DUGNANO (MI) ITALY

www.slfabrasivi.com
infoslf@slfabrasivi.com
TEL: +39029182100
FAX: +39029181313

